Welcome to: Tribal Informational Webinar for the proposed revisions of Onshore Orders 3, 4, and 5

Please Call into the conference line listed below

- 1. Participants will come in to the call automatically on mute.
- 2. When the moderator says "Operator, we're ready for questions," the operator will instruct participants to press *1 to ask questions.
- 3. The operator will ask for the participant's name and the participant will be joined to the open line.
- **4.** Please do not put your phone on hold at any time. Your holding phone line may disrupt the session. If you have to temporarily leave the call please hang up and call back when you are ready.

If you are experiencing technical difficulty, please call 866-449-0701 for assistance.



Ground Rules for Today's Session

- Questions and comments will be taken at the end of each section of the presentation.
- Be respectful of others when they are asking questions or stating comments.

Outline

- Why are these regulations important?
- Why are we revising these Orders?
- Changes proposed for all three Orders
- Part 3170
- Subpart 3173 (Onshore Order 3)
 Questions/comments
- Subpart 3174 (Onshore Order 4)
 Questions/comments
- Subpart 3175 (Onshore Order 5)
 Questions/comments

Why Are These Regulations Important?

<u>Oil</u>

```
Royalty = Royalty Rate Lease terms
x Volume (bbl)
x Value* ($/bbl) ONRR

[API gravity]
```

^{*}value less transportation allowances

<u>Oil</u>

```
Royalty = Royalty Rate Lease terms

x Volume (bbl) Onshore Order 4 and 3

x Value* ($/bbl) ONRR

[API gravity]
```

^{*}value less transportation allowances

<u>Oil</u>

```
Royalty = Royalty Rate Lease terms

x Volume (bbl) Onshore Order 4 and 3

x Value* ($/bbl) ONRR

[API gravity]
```

^{*}value less transportation allowances

<u>Gas</u>

```
Royalty = Royalty Rate Lease terms
x Volume (Mcf)
x Heating Value (MMBtu/Mcf)
x Value* ($/MMBtu) ONRR
```

^{*}value less transportation and processing allowances

<u>Gas</u>

```
Royalty = Royalty Rate Lease terms

x Volume (Mcf) Onshore Order 5 and 3

x Heating Value (MMBtu/Mcf)

x Value* ($/MMBtu) ONRR
```

^{*}value less transportation and processing allowances

<u>Gas</u>

```
Royalty = Royalty Rate Lease terms


x Volume (Mcf) Onshore Order 5 and 3

x Heating Value (MMBtu/Mcf)

x Value* ($/MMBtu) ONRR
```


^{*}value less transportation and processing allowances

Native American Oil Production Statistics



- **Production, millions of barrels (source: ONRR)**
- Royalty, \$millions (source: ONRR)
- U.S. average crude price, \$/bbl (source: EIA)

Native American Gas Production Statistics



^{*}includes NGL royalties

Why Are We Revising These Regulations?

43 CFR Part 3170

Definitions, recordkeeping, bypass and tampering, variances, appeals, enforcement

Subpart 3173 (Onshore Order 3): Site security, FMP, Commingling, Off-lease measurement

Subpart 3174 (Onshore Order 4): Oil Measurement

Subpart 3175 (Onshore Order 5, Statewide NTLs for electronic flow computers): Gas Measurement

Why revise these Orders?

- Last revised in 1989
- Current orders do not address new technology or incorporate the latest industry standards & practices
- Gaps in existing orders that need to be addressed
- Need to respond to various reports and audits questioning adequacy of existing requirements:
 - RPC report (2007)
 - GAO audit (2010)
 - OIG audits

Why revise these Orders?

 Improve measurement accuracy, reporting, and accountability

General: Proposed Changes Common to All Three Orders

Common Proposed Revisions

<u>Orders</u>

 Enforcement actions (major/minor, corrective action, timeframes) included with each provision

Proposed Regulations

Enforcement actions would be placed in a new enforcement handbook

Common Proposed Revisions

Orders

One immediate assessment (Federal seals)

Proposed Regulations

 Immediate assessments would be added to each subpart for liquidated damages

Common Proposed Revisions

<u>Orders</u>

 Technical review of alternate meter/device variances left up to individual Field Offices

Proposed Regulations

 Would direct a Production Measurement Team (PMT) to provide meter/device approval at a national level

Part 3170: Proposed Changes Common to All Three Orders

Part 3170 Proposed Revisions

Orders

Requirements apply only to operators

Proposed 3170

 Requirements for recordkeeping would apply to purchasers and transporters through the royalty settlement point or the point of first sale, whichever came first

Part 3170 Proposed Revisions

Orders

Definitions given in each Order

Proposed 3170

Would include definitions common to more than one subpart

Part 3170 Proposed Revisions

Orders

Variance section specific to each Order

Proposed 3170

- One section on variances would apply to all three subparts
- Specific guidance on requesting and processing variance requests

Subpart 3173: Site Security, FMP, Commingling, Off-lease Measurement

Order 3

 No guidance or requirements for commingling and off-lease measurement

Proposed 3173

 New procedures and requirements would be applied to obtain commingling and off-lease measurement approval:

Commingling

The BLM would only approve commingling if:

- There are no royalty impacts from allocation
- The BLM determined that the properties to be commingling qualified as "low volume"
- The BLM determined that there are extenuating circumstances such as environmental concerns or to achieve maximum ultimate economic recovery

The BLM would review existing commingling approvals during the FMP approval process. Existing approvals that did not meet the requirements in 3173 would be rescinded or modified.

Order 3

- Applies to "sales and allocation" meters
- Measurement relating to royalty payment is not consistently defined or tracked

Proposed 3173

- Would apply to measurement affecting royalty
- BLM approval and tracking of Facility Measurement Points (FMP)

Order 3

 Run tickets only required for tank sales; includes seal number, date on and off, valve/component, reason (water draining, hot oiling, etc.)

Proposed 3173

- Documentation would be required for water draining, hot oiling, clean-up, and completion operations
- Run tickets covered in proposed 3174

Order 3

End of month inventory is not required

Proposed 3173

 Operators would be required to measure and maintain records of end-of-month inventory

Order 3

No information required relating to royalty-free use

Proposed 3173

- Make, model and BTU rating required for all equipment for which royalty-free use is claimed
- How royalty-free use will be determined (estimation or measurement)

Order 3

Required self inspection and site security plan

Proposed Regulations

 Self inspection and site security plan would be eliminated

3173 Proposed Revisions Specific Data/Comment Requests

- Comments on whether or not a 10% rate of return is appropriate for determining whether a property qualifies as "low volume"
- Comments on time frames and volume thresholds for submitting applications for FMPs

Questions/Comments

Subpart 3174: Oil Measurement

Order 4

No overall performance standards

Proposed 3174

• Performance standards for uncertainty would be established:

3174 Proposed Uncertainty Requirements

If the monthly volume averaged over the previous 12 months or the life of the FMP, whichever is shorter, is:	The overall volume measurement uncertainty must be within:
Greater than 10,000 bbl/month	±0.35 percent
Greater than 100 bbl/month and less than 10,000 bbl/month	±1.0 percent
Less than 100 bbl/month	±2.5 percent

Order 4

Measurement by tank gauge or LACT only

Proposed 3174

 Would also allow and define standards for standalone Coriolis Measurement Systems (CMS)

Order 4

- LACT systems require ATC/ATG
- PD meter only

- ATC/ATG prohibited, must use temperature averager instead
- Allows Coriolis meter in lieu of PD meter

Order 4

 LACT proving done quarterly (<= 100,000 bbls month), monthly if >100,000 bbls/month

Proposed 3174

 Proving would be required every 50,000 bbls or quarterly, whichever comes first

Order 4

Measurement tickets not required for LACTs

Proposed 3174

 Generate measurement ticket after proving and monthly for LACT and CMS

3174 Proposed Revisions Specific Data/Comment Requests

- Proposed Measurement Volume Uncertainty Levels
- Use of Automatic Tank Gauging Systems
- Composite Sampling Systems on a CMS
- Ways to Address Meter Factor Determinations with Variable Flow Rates, Pressures, or API Oil Gravities
- Handbook Approach for dealing with Violations and Corrective Actions

Questions/Comments

Subpart 3175: Gas Measurement

Order 5

- Orifice plates and mechanical recorders only
- EGM systems (statewide NTLs)

- Orifice plates
- Mechanical recorders
- Approved EGM systems
- Specific guidance for alternate measurement and flow conditioners

Order 5


- No overall performance standards given
- Three tiers of requirements

Proposed 3175

 Would establish 4 tiers of performance standards based on average flow rate:

Order 5





		Name	Uncertainty		Bias*	Verif.
			Volume	HV		
	1000	Very High Volume				
Avg. Monthly Flow, Mcf/day		High Volume				
Avg. Mont	100 15	Low Volume				
	0	Marginal				

	Name	Uncertainty		Bias*	Verif.
		Volume	HV		
1000	Very High Volume	±2%	±1%	0	yes
	High Volume	±3%	±2%	0	yes
100	Low Volume	n/a	n/a	0	yes
0	Marginal	n/a	n/a	n/a	yes

Order 5

 Adopts AGA Report No. 3 (1985) – primary device and flow rate calculations

- Would adopt new API and GPA standards covering:
 - Primary device
 - Electronic Gas Measurement Systems
 - Flow rate, volume, and heating value calculations
 - Gas sampling and analysis

Current Order 5

No inspection requirements for meter tubes

- Meter tubes would have to be inspected
- Frequency would depend on classification of meter:

3175 Proposed Meter Tube Inspection Requirements

Category	Visual Inspection	Detailed Inspection
Marginal Volume (< 15 Mcf/day)	n/a	n/a
Low Volume (15 – 100 Mcf/day)	Once every 5 years	n/a
High Volume (100 – 1000 Mcf/day)	Once every 2 years	Once every 10 years
Very-High Volume (> 1000 Mcf/day)	Once every year	Once every 5 years

Order 5

Mechanical recorders automatically approved

Proposed 3175

 Mechanical recorders would be restricted to marginal and low volume FMPs (< 100 Mcf/day)

Order 5

Btu determined at least once per year

Proposed 3175

Sampling frequency as follows:

3175 Proposed Sampling Frequency

Category	Sampling Frequency
Marginal Volume (< 15 Mcf/day)	Once per year
Low Volume (15 – 100 Mcf/day)	Once every 6 months
High Volume (100 – 1000 Mcf/day)	Once every 3 months; achieve heating value uncertainty of ±2%
Very-High Volume (> 1000 Mcf/day)	Once every month; achieve heating value uncertainty of ±1%

Proposed 3175 (continued)

- Composite or online GC would be required if spot sampling cannot meet uncertainty requirements
- Would require all gas analyses to be submitted

Order 5

- No requirements for sample location or method
- No requirements for gas chromatograph (GC)

- Sampling probe 1 2 times dimension "B" downstream of the primary device
- Five spot-sampling methods would be allowed
- Requirements for GC calibration and operation
- Extended analysis (C9+) required if C6+ was > 0.25 mole %

Order 5

No requirements for Btu reporting

- Btu reporting would be:
 - Gross
 - Real
 - Dry
 - 14.73 psi
 - 60° F

Order 5 and Statewide NTLs

- No requirements for independent testing of transducers or flow computers
- All transducers and flow computers accepted

- Testing protocol would be defined for all transducers and flow computers
- PMT would review results and develop list of approved devices

3175 Proposed Revisions Specific Data/Comment Requests

- Cost to industry for type testing transducers
- Comments on whether 5 transducers constitutes a statistically representative sample
- Requirements/standards for on-line gas chromatographs (e.g. API 22.6)
- Data showing water vapor saturation
- Data showing correlations between sample probe placement and composition

3175 Proposed Revisions Specific Data/Comment Requests

- Costs of retrofitting orifice meters to meet eccentricity requirements of API 14.3.2
- Costs to chart integration companies to switch from the 1985 to the 1992/2013 calculations
- Data showing the difference between C6+ and C9+ analysis as a function of C6+ mole percent

Questions/Comments